EAST SEARCH

10/30/02

L#	Hits	Search String	Databases
L1	11371	link$5 and connectiv$6 and structur$5	USPAT; EPO; JPO; DERWENT; IBM_TDB
L2	1944	1 and (www or internet or "world wide web")	USPAT; EPO; JPO; DERWENT; IBM_TDB
L3	527	2 and link$5 same connectiv$6	USPAT; EPO; JPO; DERWENT; IBM_TDB
L4	0	3 and (eigenvector$2 or eigenvalue$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB
L5	5	2 and (eigenvector$2 or eigenvalue$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB

09/388,123 Saias

EAST SEARCH

10/30/02

Results of search set L5:

US 6345235 B1	Method and apparatus for determining multi-dimensional structure	20020205	702/27
US 6285999 B1	Method for node ranking in a linked database	20010904	707/5
US 6233575 B1	Multilevel taxonomy based on features derived from training documents classification using fisher values as discrimination values	20010515	707/6
US 6233545 B1	Universal machine translator of arbitrary languages utilizing epistemic moments	20010515	704/2
US 5926101 A	Method and apparatus for routing messages in a network of nodes with minimal resources	19990720	340/825.02

PORTAL
THE ACM DIGITAL LIBRARY

> home > about > feedback > logout
US Patent & Trademark Office

Search Results

Search Results for: [link* and structur*<AND>(("Hypertext navigation and maps**" <IN> CCS))]
Found 216 of 102,695 searched. → Rerun within the Portal

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results

eigenvalue* or eigenvector*

> Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 1 - 20 of 200 **short listing**

Prev Page 1 2 3 4 5 6 7 8 9 10 Next Page

1 A transient hypergraph-based model for data access 77%
Carolyn Watters , Michael A. Shepherd
ACM Transactions on Information Systems (TOIS) April 1990
Volume 8 Issue 2
Two major methods of accessing data in current database systems are querying and browsing. The more traditional query method returns an answer set that may consist of data values (DBMS), items containing the answer (full text), or items referring the user to items containing the answer (bibliographic). Browsing within a database, as best exemplified by hypertext systems, consists of viewing a database item and linking to related items on the basis of some attribute or attribute value. ...

2 A statechart-based model for hypermedia applications 77%
Maria Cristina Ferreira de Oliveira , Marcelo Augusto Santos Turine , Paulo Cesar Masiero
ACM Transactions on Information Systems (TOIS) January 2001
Volume 19 Issue 1
This paper presents a formal definition for HMBS (Hypermedia Model Based on Statecharts). HMBS uses the structure and

execution semantics of statecharts to specify both the structural organization and the browsing semantics of hypermedia applications. Statecharts are an extension of finite-state machines and the model is thus a generalization of hypergraph-based hypertext models. Some of the most important features of HMBS are its ability to model hierarchy and synchronization of informatio ...

3 Hypertext in the Web — a history 77%
Robert Cailliau , Helen Ashman
ACM Computing Surveys (CSUR) December 1999

4 Hypermedia: the link with time 77%
Lynda Hardman , Jacco van Ossenbruggen , Lloyd Rutledge , Dick C. A. Bulterman
ACM Computing Surveys (CSUR) December 1999

5 Adaptive hypermedia: from systems to framework 77%
Paul De Bra , Peter Brusilovsky , Geert-Jan Houben
ACM Computing Surveys (CSUR) December 1999

6 The significance of linking 77%
Paul H. Lewis , Wendy Hall , Leslie A. Carr , David De Roure
ACM Computing Surveys (CSUR) December 1999

7 The evolution of hypertext link services 77%
Leslie Carr , Wendy Hall , David De Roure
ACM Computing Surveys (CSUR) December 1999

8 Empirically-based re-design of a hypertext encyclopedia 77%
Keith Instone , Barbee Mynatt Teasley , Laura Marie Leventhal
Proceedings of the conference on Human factors in computing systems January 1993

9 Queries-R-Links: graphical markup for text navigation 77%
Gene Golovchinsky , Mark Chignell
Proceedings of the conference on Human factors in computing systems January 1993

10 A task driven design method and its associated tool for automatically generating hypertexts 77%
Sylvain Fraïssé

Proceedings of the eighth ACM conference on Hypertext April 1997

11 Using hypertext for textual genetics, or, what is suitable in a hypertext system for an information gardening application 77%
Corinne Chuat
Proceedings of the eighth ACM conference on Hypertext April 1997

12 Collective phenomena in hypertext networks 77%
Valery M. Chelnokov , Victoria L. Zephyrova
Proceedings of the eighth ACM conference on Hypertext April 1997

13 A generic dynamic-mapping wrapper for open hypertext system support of analytical applications 77%
Chao-Min Chiu , Michael Bieber
Proceedings of the eighth ACM conference on Hypertext April 1997

14 An user adaptive navigation metaphor to connect and rate the coherence of terms and complex objects 77%
Holger Husemann , Jörg Petersen , Peter Hase , Christian Kanty , Hans-Dieter Kochs
Proceedings of the eighth ACM conference on Hypertext April 1997

15 The World Wide Web: what cost simplicity? 77%
Brian C. Ladd , Michael V. Capps , P. David Stotts
Proceedings of the eighth ACM conference on Hypertext April 1997

16 The Aleph: a tool to spatially represent user knowledge about the WWW docuverse 77%
Fernando Das Neves
Proceedings of the eighth ACM conference on Hypertext April 1997

17 Focus+context views of World-Wide Web nodes 77%
Sougata Mukherjea , Yoshinori Hara
Proceedings of the eighth ACM conference on Hypertext April 1997

18 Structuring and visualising the WWW by generalised similarity analysis 77%
Chaomei Chen
Proceedings of the eighth ACM conference on Hypertext April 1997

19 A navigation-oriented hypertext model based on statecharts 77%

Marcelo Augusto Santos Turine , Maria Cristina Ferreira de Oliveira , Paul Ceasr Masiero
Proceedings of the eighth ACM conference on Hypertext April 1997

20 Query-based navigation in semantically indexed hypermedia 77%
Daniel Cunliffe , Carl Taylor , Douglas Tudhope
Proceedings of the eighth ACM conference on Hypertext April 1997

Results 1 - 20 of 200 **short listing**

Prev Page **1 2 3 4 5 6 7 8 9 10** Next Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.

Search Results

Search Results for: [link* and structur*<AND>(("Hypertext navigation and maps**" <IN> CCS))]
Found 216 of 102,695 searched. → Rerun within the Portal

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results

> Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 21 - 40 of 200 short listing

Prev Page 1 2 3 4 5 6 7 8 9 10 Next Page

21 Object-based navigation: an intuitive navigation style for content-oriented integration environment 77%
Kyoji Hirata , Sougata Mukherjea , Yusaku Okamura , Wen-Syan Li , Yoshinori Hara
Proceedings of the eighth ACM conference on Hypertext April 1997

22 Design reuse in hypermedia applications development 77%
Gustavo Rossi , Daniel Schwabe , Alejandra Garrido
Proceedings of the eighth ACM conference on Hypertext April 1997

23 Designing model hypermedia applications 77%
Franca Garzotto , Luca Mainetti , Paolo Paolini
Proceedings of the eighth ACM conference on Hypertext April 1997

24 Auto-adaptive illustration through conceptual evocation 77%
Michel Crampes
Proceedings of the second ACM international conference on Digital libraries July 1997

25 Hypertext construction using statistical and semantic similarity 77%
Dongwook Shin , Sejin Nam , Munseok Kim
Proceedings of the second ACM international conference on Digital libraries July 1997

26 Quick but not so dirty web design: applying empirical conceptual clustering techniques to organise hypertext content 77%
Charles M. Hymes , Gary M. Olson
Proceedings of the conference on Designing interactive systems : processes, practices, methods, and techniques: processes, practices, methods, and techniques August 1997

27 Hypertext to hypermedia and beyond: the evolution continues 77%
Jeffrey Rowe
Proceedings of the 15th annual international conference on Computer documentation October 1997

28 Navigation issues in hypertext: documenting complex hierarchies with HTML frames 77%
Michael Priestley
Proceedings of the 15th annual international conference on Computer documentation October 1997

29 Formalization of legislative documents based on a functional model 77%
Daniela Tiscornia , Fabrizio Turchi
Proceedings of the sixth international conference on Artificial intelligence and law June 1997

30 Queries? Links? Is there a difference? 77%
Gene Golovchinsky
conference proceedings on Human factors in computing systems March 1997

31 Revisitation patterns in World Wide Web navigation 77%
Linda Tauscher , Saul Greenberg
conference proceedings on Human factors in computing systems March 1997

32 Life, death, and lawfulness on the electronic frontier 77%
James Pitkow , Peter Pirolli

conference proceedings on Human factors in computing systems March 1997

33 Effective view navigation 77%
George W. Furnas
conference proceedings on Human factors in computing systems March 1997

34 Image retrieval by hypertext links 77%
V. Harmandas , M. Sanderson , M. D. Dunlop
ACM SIGIR Forum , Proceedings of the 20th annual international ACM SIGIR conference on Research and development in information retrieval July 1997
Volume 31 Issue SI

35 Optimal demand-oriented topology for hypertext systems 77%
Scott Aaronson
ACM SIGIR Forum , Proceedings of the 20th annual international ACM SIGIR conference on Research and development in information retrieval July 1997
Volume 31 Issue SI

36 Using VRML to access manufacturing data 77%
Sandy Ressler , Qiming Wang , Scott Bodarky , Charles Sheppard , Gregory Seidman
Proceedings of the second symposium on Virtual reality modeling language February 1997

37 The “growing up” of HyperBraille—an office workspace for blind people 77%
Thomas Kieninger
Proceedings of the 9th annual ACM symposium on User interface software and technology November 1996

38 Media-based navigation with generic links 77%
Paul H. Lewis , Hugh C. Davis , Steve R. Griffiths , Wendy Hall , Rob J. Wilkins
Proceedings of the the seventh ACM conference on Hypertext March 1996

39 A study of navigational support provided by two World Wide Web browsing applications 77%
Steve Jones , Andy Cockburn

Proceedings of the the seventh ACM conference on Hypertext March 1996

40 Toward a Dexter-based model for open hypermedia: unifying embedded references and link objects 77%
Kaj Grønbæk , Randall H. Trigg
Proceedings of the the seventh ACM conference on Hypertext March 1996

Results 21 - 40 of 200 **short listing**

Prev Page 1 2 3 4 5 6 7 8 9 10 Next Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.

ACM Digital Library

> home | > about | > feedback | > logout
US Patent & Trademark Office

Citation

ACM Transactions on Information Systems (TOIS)
>archive
Volume 10 , Issue 2 (April 1992) >toc

Structural analysis of hypertexts: identifying hierarchies and useful metrics

Authors
Rodrigo A. Botafogo
Ehud Rivlin
Ben Shneiderman

Publisher
ACM Press New York, NY, USA

Pages: 142 - 180 Periodical-Issue-Article
Year of Publication: 1992
ISSN:1046-8188

http://doi.acm.org/10.1145/146802.146826 (Use this link to Bookmark this page)

> full text > abstract > references > citings > index terms
> peer to peer

> Discuss > Similar > Review this Article Save to Binder

> BibTex Format

FULL TEXT: Access Rules

pdf 2.24 MB

ABSTRACT

REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

1 BOTAFOGO, R.A. Structural ana]ysis of hypertexts. Unpublished Master's Thesis, Umv. of Maryland, College Park, 1990.

2 Rodrigo A. Botafogo , Ben Shneiderman, Identifying aggregates in hypertext structures, Proceedings of the third annual ACM conference on Hypertext, p.63-74, December 15-18, 1991, San Antonio, Texas, United States

3 P. J. Brown, Do we need maps to navigate round hypertext documents?, Electronic Publishing—Origination, Dissemination, and Design, v.2 n.2, p.91-100, July 1989

4 Davida Charney, Comprehending non-linear text: the role of discourse cues and reading strategies, Proceeding of the ACM conference on Hypertext, p.109-120, November 1987, Chapel Hill, North Carolina, United States

5 Jeff Conklin , Michael L. Begeman, gIBIS: a hypertext tool for exploratory policy discussion, ACM Transactions on Information Systems (TOIS), v.6 n.4, p.303-331, Oct. 1988

6 Dennis E. Egan , Joel R. Remde , Louis M. Gomez , Thomas K. Landauer , Jennifer Eberhardt , Carol C. Lochbaum, Formative design evaluation of superbook, ACM Transactions on Information Systems (TOIS), v.7 n.1, p.30-57, Jan. 1989

7 Robert W. Floyd, Algorithm 97: Shortest path, Communications of the ACM, v.5 n.6, p.345, June 1962

8 G. W. Furnas, Generalized fisheye views, ACM SIGCHI Bulletin, v.17 n.4, p.16-23, April 1986

9 Frank G. Halasz , Thomas P. Moran , Randall H. Trigg, Notecards in a nutshell, ACM SIGCHI Bulletin, v.17 n.SI, p.45-52, May 1987

10 Frank,G. Halasz, Reflections on NoteCards: seven issues for the next generation of hypermedia systems, Communications of the ACM, v.31 n.7, p.836-852, July 1988

11 HARARY, F. Status and contrastatus Sociometry 22 (1959), 23-43.

12 HARARY, F., NORMAN, R. Z., AND CARTWRIGHT, D. Structural models. An Introduction to the Theory of D~rected Graphs. Wiley, New York, 1965

13 KAUFMANN, A. Graphs, dynamic programming and finite gaines. In Mathematzcs *n Sczence and Engineering 36. Academic Press, New York 1967.

14 KINTSCH, W , AND VAN DIJK, T. Toward a model of text comprehensmn and production Psychol. Rev. 85 (1978), 363-394.

15 C. C. Marshall , P. M. Irish, Guided tours and on-line presentations: how authors make existing hypertext intelligible for readers, Proceedings of the second annual ACM conference on Hypertext, p.15-26, November 1989, Pittsburgh, Pennsylvania, United States

16 MOFFAT, A. AND TAKAOKA, T An all pairs shortest path algomthm with expected running time O(n2 log n). In Proceedmgs of the 26th Annual Sympostum on Foundations of Computer Smence, 1985, pp. 101 105.

17 Jakob Nielsen, The art of navigating through hypertext, Communications of the ACM, v.33 n.3, p.296-310, March 1990

18 Jakob Nielsen, Hypertext and hypermedia, Academic Press Professional, Inc., San Diego, CA, 1990

19 Christine Neuwirth , David Kaufer , Rick Chimera , Terilyn Gillespie, The Notes program: a hypertext application for writing from source texts, Proceeding of the ACM conference on Hypertext, p.121-141, November 1987, Chapel Hill, North Carolina, United States

20 R. Pausch , J. Detmer, Node popularity as a hypertext browsing aid, Electronic Publishing—Origination, Dissemination, and Design, v.3 n.4, p.227-234, Nov. 1990

21 Catherine Plaisant, Guide to opportunities in volunteer archaeology: case study on the use of a hypertext system in a museum exhibit, Hypertext/hypermedia handbook, McGraw-Hill, Inc., Hightstown, NJ, 1991

22 Gerald Salton, Automatic text processing, Addison-Wesley Longman Publishing Co., Inc., Boston, MA, 1988

23 SHNEIDERMAN, B , AND KEARSLEY, G. Hypertext Hands-On/Addison-Wesley, Reading, Mass, 1989

24 SIRA, P.M. A new algorithm for finding all shortest paths in a graph of posture arcs in average time O(n2 tog2 n), SIAM J. Comput. 2, I (1973), 28-32.

25 P. David Stotts , Richard Furuta, Petri-net-based hypertext: document structure with browsing semantics, ACM Transactions on Information Systems (TOIS), v.7 n.1, p.3-29, Jan. 1989

26 P. David Stotts , Richard Furuta, Hierarchy, composition, scripting languages, and translators for structured hypertext, Hypertext: concepts, systems and applications, Cambridge University Press, New York, NY, 1992

27 Randall H. Trigg , Peggy M. Irish, Hypertext habitats: experiences of writers in NoteCards, Proceeding of the ACM conference on Hypertext, p.89-108, November 1987, Chapel Hill, North Carolina, United States

28 VALnEZ, F , AN~ CHI~NELL, M Browsing models for bypermedia databases. In Proceedings of the Human Factors Soczety, 32nd Annual Meeting (Santa Monica, Calif., 1988), Human Factors Society, 1988, pp. 318 322.

29 VAN DIJK, T, AND KINTSCm W Strategzes of Discourse Comprehensmn. Academic Press, New York, 1983.

30 P. T. Zellweger, Scripted documents: a hypermedia path mechanism, Proceedings of the second annual ACM conference on Hypertext, p.1-14, November 1989, Pittsburgh, Pennsylvania, United States

↑ **CITINGS** ***39***

George W. Furnas , Jeff Zacks, Multitrees: enriching and reusing hierarchical structure, Conference proceedings on Human factors in computing systems : “celebrating interdependence”: “celebrating interdependence”, p.330-336, April 24-28, 1994, Boston, Massachusetts, United States

Loren Terveen , Will Hill, Evaluating emergent collaboration on the Web, Proceedings of the ACM 1998 conference on Computer supported cooperative work, p.355-362, November 14-18, 1998, Seattle, Washington, United States

Scott Johnson, Control for hypertext construction, Communications of the ACM, v.38 n.8, p.87, Aug. 1995

Emilia Mendes , Wendy Hall, Towards the prediction of development effort for web applications, Proceedings of the eleventh ACM on Hypertext and hypermedia, p.242-243, May 30-June 03, 2000, San Antonio, Texas, United States

Chris Coulston , Theresa M. Vitolo, A hypertext metric based on huffman coding, Proceedings of the twelfth ACM conference on Hypertext and Hypermedia, August 14-18, 2001, Århus, none, Denmark

John E. McEneaney, Navigational correlates of comprehension in hypertext, Proceedings of the eleventh ACM on Hypertext and hypermedia, p.254-255, May 30-June 03, 2000, San Antonio, Texas, United States

Ehud Rivlin , Rodrigo Botafogo , Ben Shneiderman, Navigating in hyperspace: designing a structure-based toolbox, Communications of the ACM, v.37 n.2, p.87-96, Feb. 1994

Loren Terveen , Will Hill, Finding and visualizing inter-site clan graphs, Conference proceedings on Human factors in computing systems, p.448-455, April 18-23, 1998, Los Angeles, California, United States

Rodrigo A. Botafogo , Ben Shneiderman, Identifying aggregates in hypertext structures, Proceedings of the third annual ACM conference on Hypertext, p.63-74, December 15-18, 1991, San Antonio, Texas, United States

F. Garzotto , M. Matera , P. Paolini, Abstract tasks: a tool for the inspection of Web sites and off-line hypermedia, Proceedings of the tenth ACM Conference on Hypertext and hypermedia : returning to our diverse roots: returning to our diverse roots, p.157-163, February 21-25, 1999, Darmstadt, Germany

Sougata Mukherjea , James D. Foley, Showing the context of nodes in the World-Wide Web, Conference companion on Human factors in computing systems, p.326-327, May 07-11, 1995, Denver, Colorado, United States

Sougata Mukherjea , James D. Foley , Scott Hudson, Visualizing complex hypermedia networks through multiple hierarchical views, Conference proceedings on Human factors in computing systems, p.331-337, May 07-11, 1995, Denver, Colorado, United States

Licia Calvi , Paul De Bra, Improving the usability of hypertext courseware through adaptive linking, Proceedings of the eighth ACM conference on Hypertext, p.224-225, April 06-11, 1997, Southampton, United Kingdom

David Durand , Paul Kahn, MAPA: a system for inducing and visualizing hierarchy in Websites, Proceedings of the ninth ACM conference on Hypertext and hypermedia : links, objects, time and space—structure in hypermedia systems: links, objects, time and space—structure in hypermedia systems, p.66-76, June 20-24, 1998, Pittsburgh, Pennsylvania, United States

Chaomei Chen, Structuring and visualising the WWW by generalised similarity analysis, Proceedings of the eighth ACM conference on Hypertext, p.177-186, April 06-11, 1997, Southampton, United Kingdom

Jon M. Kleinberg, Authoritative sources in a hyperlinked environment, Proceedings of the ninth annual ACM-SIAM symposium on Discrete algorithms, p.668-677, January 25-27, 1998, San Francisco, California, United States

Sougata Mukherjea , Yoshinori Hara, Focus+context views of World-Wide Web nodes, Proceedings of the eighth ACM conference on Hypertext, p.187-196, April 06-11, 1997, Southampton, United Kingdom

Tomás Isakowitz , Edward A. Stohr , P. Balasubramanian, RMM: a methodology for structured hypermedia design, Communications of the ACM, v.38 n.8, p.34-44, Aug. 1995

Sougata Mukherjea, Information visualization for hypermedia systems, ACM Computing Surveys (CSUR), v.31 n.4es, Dec. 1999

Antonina Dattolo , Antonio Gisolfi, Analytical version control management in a hypertext system, Proceedings of the third international conference on Information and knowledge management, p.132-139, November 29-December 02, 1994, Gaithersburg, Maryland, United States

Seung C. Lee, IDM: a methodology for intranet design, Proceedings of the international conference on Information systems, p.51-67, December 1998, Helsinki, Finland

James Pitkow , Peter Pirolli, Life, death, and lawfulness on the electronic frontier, conference proceedings on Human factors in computing systems, p.383-390, March 22-27, 1997, Atlanta, Georgia, United

States

John E. McEneaney, Visualizing and assessing navigation in hypertext, Proceedings of the tenth ACM Conference on Hypertext and hypermedia : returning to our diverse roots: returning to our diverse roots, p.61-70, February 21-25, 1999, Darmstadt, Germany

Ed H. Chi , James Pitkow , Jock Mackinlay , Peter Pirolli , Rich Gossweiler , Stuart K. Card, Visualizing the evolution of Web ecologies, Conference proceedings on Human factors in computing systems, p.400-407, April 18-23, 1998, Los Angeles, California, United States

David Gibson , Jon Kleinberg , Prabhakar Raghavan, Inferring Web communities from link topology, Proceedings of the ninth ACM conference on Hypertext and hypermedia : links, objects, time and space—structure in hypermedia systems: links, objects, time and space—structure in hypermedia systems, p.225-234, June 20-24, 1998, Pittsburgh, Pennsylvania, United States

Shoji Yamada , Jung-Kook Hong , Shigeharu Sugita, Development and evaluation of hypermedia for museum education: validation of metrics, ACM Transactions on Computer-Human Interaction (TOCHI), v.2 n.4, p.284-307, Dec. 1995

R. Lempel , S. Moran, SALSA: the stochastic approach for link-structure analysis, ACM Transactions on Information Systems (TOIS), v.19 n.2, p.131-160, April 2001

Glenn J. Broadhead, Using HTML frames for institutional websites, Proceedings of the sixteenth annual international conference on Computer documentation, p.278-285, September 24-26, 1998, Quebec, Quebec, Canada

Gerard Salton , James Allen, Selective text utilization and text traversal, Proceedings of the fifth ACM conference on Hypertext, p.131-144, November 14-18, 1993, Seattle, Washington, United States

Loren Terveen , Will Hill , Brian Amento, Constructing, organizing, and visualizing collections of topically related Web resources, ACM Transactions on Computer-Human Interaction (TOCHI), v.6 n.1, p.67-94, March 1999

Lloyd Rutledge , Brian Bailey , Jacco van Ossenbruggen , Lynda Hardman , Joost Geurts, Generating presentation constraints from rhetorical structure, Proceedings of the eleventh ACM on Hypertext and hypermedia, p.19-28, May 30-June 03, 2000, San Antonio, Texas, United States

Michael J. Albers , Loel Kim, User web browsing characteristics using palm handhelds for information retrieval, Proceedings of IEEE professional communication society international professional communication conference and ACM special interest group on documentation conference on Technology & teamwork, September 24-27, 2000, Cambridge, Massachusetts

David Ellis , Jonathan Furner-Hines , Peter Willett, On the measurement of inter-linker consistency and retrieval effectiveness in hypertext databases, Proceedings of the seventeenth annual international ACM-SIGIR conference on Research and development in information retrieval, p.51-60, July 03-06, 1994, Dublin, Ireland

Ross Wilkinson , Alan F. Smeaton, Automatic link generation, ACM Computing Surveys (CSUR), v.31 n.4es, Dec. 1999

Jonathan Furner , David Ellis , Peter Willett, Inter-linker consistency in the manual construction of hypertext documents, ACM Computing Surveys (CSUR), v.31 n.4es, Dec. 1999

Jon M. Kleinberg, Authoritative sources in a hyperlinked environment, Journal of the ACM (JACM), v.46 n.5, p.604-632, Sept. 1999

Margaret M. Recker , James E. Pitkow, Predicting document access in large multimedia repositories, ACM Transactions on Computer-Human Interaction (TOCHI), v.3 n.4, p.352-375, Dec. 1996

Gerard Salton , Amit Singhal , Chris Buckley , Mandar Mitra, Automatic text decomposition using text segments and text themes, Proceedings of the the seventh ACM conference on Hypertext, p.53-65, March 16-20, 1996, Bethesda, Maryland, United States

Mei Kobayashi , Koichi Takeda, Information retrieval on the web, ACM Computing Surveys (CSUR), v.32 n.2, p.144-173, June 2000

↑ **INDEX TERMS**

Primary Classification:
H. Information Systems
↳ H.5 INFORMATION INTERFACES AND PRESENTATION (I.7)
↳ H.5.1 Multimedia Information Systems
↳ Subjects: Hypertext navigation and maps**

Additional Classification:
F. Theory of Computation
↳ F.2 ANALYSIS OF ALGORITHMS AND PROBLEM COMPLEXITY
↳ F.2.2 Nonnumerical Algorithms and Problems
↳ Subjects: Routing and layout

G. Mathematics of Computing
↳ G.2 DISCRETE MATHEMATICS

H. Information Systems
↳ H.3 INFORMATION STORAGE AND RETRIEVAL
↳ H.3.2 Information Storage
↳ Subjects: File organization
↳ H.5 INFORMATION INTERFACES AND PRESENTATION (I.7)

General Terms:
Design, Documentation, Human Factors, Measurement

Keywords:
graph theory, hierarchies, hypertext, metrics, structural analysis

↑ **Peer to Peer - Readers of this Article have also read:**

Editorial pointers
Communications of the ACM 44, 9
Diane Crawford

News track
Communications of the ACM 44, 9
Robert Fox

Forum
Communications of the ACM 44, 9
Diane Crawford

QuickSet: multimodal interaction for distributed applications
Proceedings of the fifth ACM international conference on Multimedia
Philip R. Cohen , Michael Johnston , David McGee , Sharon Oviatt , Jay Pittman , Ira Smith , Liang Chen , Josh Clow

New Products

Linux Journal 1996, 27es
CORPORATE Linux Journal Staff

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.

ACM Digital Library

> home | > about | > feedback | > logout
US Patent & Trademark Office

Citation

Conference on Hypertext and Hypermedia >archive
Proceedings of the eighth ACM conference on Hypertext >toc
1997 , Southampton, United Kingdom

Structuring and visualising the WWW by generalised similarity analysis

Author
Chaomei Chen

Sponsor
SIGLINK : Hypertext, Hypermedia, and Web

Publisher
ACM Press New York, NY, USA

Pages: 177 - 186 Series-Proceeding-Article
Year of Publication: 1997
ISBN:0-89791-866-5

http://doi.acm.org/10.1145/267437.267456 (Use this link to Bookmark this page)

> full text > references > citings > index terms > peer to peer

> Discuss > Similar > Review this Article Save to Binder

> BibTex Format

↑ **FULL TEXT:** Access Rules

pdf 963 KB

↑ **REFERENCES**

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

1 Ayers, E. Z., and Stasko, J. T. Using graphic history in browsing the World Wide Web. In Proceedings of the 4th International World-Wide Web Conference (Boston, December, 1994).

http://www.w3.org/pub/Conferences/ WWW4/Papers2/270/

2 Rodrigo A. Botafogo , Ehud Rivlin , Ben Shneiderman, Structural analysis of hypertexts: identifying hierarchies and useful metrics, ACM Transactions on Information Systems (TOIS), v.10 n.2, p.142-180, April 1992

3 C. Mic Bowman , Peter B. Danzig , Udi Manber , Michael F. Schwartz, Scalable Internet resource discovery: research problems and approaches, Communications of the ACM, v.37 n.8, p.98-ff., Aug. 1994

4 Carr, L., Hall, W., and De Roure, D. Microcosm extensions to the World-Wide Web. http ://vim. ec s. s oto n. ac. uk/www, h tml

5 Matthew Chalmers, A linear iteration time layout algorithm for visualising high-dimensional data, Proceedings of the conference on Visualization '96, p.127-ff., October 28-29, 1996, San Francisco, California, United States

6 Chen, C. Behavioural patterns of writing with collaborative hypertext: A state-transition approach. In People and Computers XI, M. Sasse, R. Cuningham, and R. Winder, Eds. Springer-Verlag, London, 1996, pp. 265-279.

7 Chert, C. and Rada, R. Interacting with hypertext: A meta-analysis of experimental studies. Human-Computer Interaction, 11, 2 (1996), 125-156.

8 Chen, H., Schuffels, C., and Orwig, R. Internet categorization and search: A self-organizing approach. J. Visual Communication and Image Representation, 7, 1 (Mar. 1996), 88-102.

9 Andy Cockburn , Steve Jones, Which way now? Analysing and easing inadequacies in WWW navigation, International Journal of Human-Computer Studies, v.45 n.1, p.105-129, July 1996

10 Cooke, N. J., Neville, K. J., and Rowe, A. L. Procedural network representations of sequential data. Human- Computer Interaction, 11, 1 (1996), 29-68.

11 Davis, H., and Hey, J. Automatic extraction of hypermedia bundles from the digital library. In Proceedings of Digital Libraries'95. http://csdl.tamu.edu/DL95/davis.html

12 Fairchild, K., Poltrok, S., and Furnas, G. Semnet: Threedimensional graphic representations of large knowledge bases. In Cognitive Science and its Applications for Human-Computer Interaction, R. Guindon, Ed. Lawrence Erlbaum, 1988.

13 T. Kamada , S. Kawai, An algorithm for drawing general undirected graphs, Information Processing Letters, v.31 n.1, p.7-15, April 1989

14 Y. K. Leung , M. D. Apperley, A review and taxonomy of distortion-oriented presentation techniques, ACM Transactions on Computer-Human Interaction (TOCHI), v.1 n.2, p.126-160, June 1994

15 James E. McDonald , Kenneth R. Paap , Deborah R. McDonald, Hypertext perspectives: using pathfinder to build hypertext systems, Pathfinder associative networks: studies in knowledge organization, Ablex Publishing Corp., Norwood, NJ, 1990

16 Sougata Mukherjea , James D. Foley, Visualizing the World-Wide Web with the navigational view builder, Computer Networks and ISDN Systems, v.27 n.6, p.1075-1087, April 1995

17 James E. Pitkow , Colleen M. Kehoe, Emerging trends in the WWW user population, Communications of the ACM, v.39 n.6, p.106-108, June 1996

18 Peter Pirolli , James Pitkow , Ramana Rao, Silk from a sow's ear: extracting usable structures from the Web, Conference proceedings on Human factors in computing systems, p.118-125, April 13-18, 1996, Vancouver, British Columbia, Canada

19 Gerard Salton , James Allan , Chris Buckley, Automatic structuring and retrieval of large text files, Communications of the ACM, v.37 n.2, p.97-108, Feb. 1994

20 Ron Weiss , Bienvenido Vélez , Mark A. Sheldon, HyPursuit: a hierarchical network search engine that exploits content-link hypertext clustering, Proceedings of the the seventh ACM conference on Hypertext, p.180-193, March 16-20, 1996, Bethesda, Maryland, United States

↑ CITINGS *7*

Chaomei Chen , Mary Czerwinski, From latent semantics to spatial hypertext—an integrated approach, Proceedings of the ninth ACM conference on Hypertext and hypermedia : links, objects, time and space—structure in hypermedia systems: links, objects, time and space—structure in hypermedia systems, p.77-86, June 20-24, 1998, Pittsburgh, Pennsylvania, United States

Simon Harper , Carole Goble , Robert Stevens, Prototype mobility tools for visually impaired surfers, Proceedings of the twelfth ACM conference on Hypertext and Hypermedia, August 14-18, 2001, Århus, none, Denmark

Dharmendra S. Modha , W. Scott Spangler, Clustering hypertext with applications to web searching, Proceedings of the eleventh ACM on Hypertext and hypermedia, p.143-152, May 30-June 03, 2000, San Antonio, Texas, United States

David Gibson , Jon Kleinberg , Prabhakar Raghavan, Inferring Web communities from link topology, Proceedings of the ninth ACM conference on Hypertext and hypermedia : links, objects, time and space—structure in hypermedia systems: links, objects, time and space—structure in hypermedia systems, p.225-234, June 20-24, 1998, Pittsburgh, Pennsylvania, United States

John E. McEneaney, Visualizing and assessing navigation in hypertext, Proceedings of the tenth ACM Conference on Hypertext and hypermedia : returning to our diverse roots: returning to our diverse roots, p.61-70, February 21-25, 1999, Darmstadt, Germany

Sougata Mukherjea, Information visualization for hypermedia systems, ACM Computing Surveys (CSUR), v.31 n.4es, Dec. 1999

Wen-Syan Li , Necip Fazil Ayan , Okan Kolak , Quoc Vu , Hajime Takano , Hisashi Shimamura, Constructing multi-granular and topic-focused web site maps, Proceedings of the tenth international conference on World Wide Web, p.343-354, May 01-05, 2001, Hong Kong, Hong Kong

↑ INDEX TERMS

Primary Classification:

H. Information Systems

↳ H.5 INFORMATION INTERFACES AND PRESENTATION (I.7)

↳ H.5.1 Multimedia Information Systems

↳ Subjects: Hypertext navigation and maps**

Additional Classification:

G. Mathematics of Computing

↳ G.2 DISCRETE MATHEMATICS

↳ G.2.2 Graph Theory

↳ Subjects: Graph algorithms

H. Information Systems

↳ H.3 INFORMATION STORAGE AND RETRIEVAL

↳ H.3.4 Systems and Software

↳ Nouns: World Wide Web (WWW)

General Terms:
Algorithms, Human Factors, Languages

Keywords:
WWW, information visualisation, pathfinder networks, sequential behavioural patterns, structural analysis

↑ **Peer to Peer - Readers of this Article have also read:**

Editorial pointers
Communications of the ACM 44, 9
Diane Crawford

News track
Communications of the ACM 44, 9
Robert Fox

Forum
Communications of the ACM 44, 9
Diane Crawford

An evaluation of flow control in group communication
IEEE/ACM Transactions on Networking (TON) 6, 5
Shivakant Mishra , Lei Wu

Object oriented relational database with SQL interface
Proceedings of the 1993 ACM conference on Computer science
Behrooz Seyed-Abbassi

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.